



















- Sarwar, G., DeJong, K.A., 1979. Arcs, oroclines, syntaxes: the curvature of mountain belts in Pakistan. *Geodynamics of Pakistan*, Geological Survey of Pakistan, Quetta, Pp. 341-350.
- Schelling, D.D., 1999. Frontal structural geometries and detachment tectonics of the northeastern Karachi arc, southern Kirthar range, Pakistan. *Special Papers-Geological Society of America*, Pp. 287-302.
- Shah, S., 1977. *Stratigraphy of Pakistan*: Geological Survey Karachi. Pakistan Memoir, 12, Pp. 138.
- Shah, S.I., 2009. *Stratigraphy of Pakistan*. Government of Pakistan Ministry of Petroleum & Natural Resources Geological Survey of Pakistan.
- Siddiqui, I., Agheem, M.H., Soomro, A.S., 2012. Geochemistry and Mineralogy of Meting-Jhampir Coal, Sindh, Pakistan. *Mehran University Research Journal of Engineering & Technology*, 31, Pp. 281-290.
- Siddiqui, I., Shah, M.I., Ahmed, I., 2009. X-RAY Diffraction (XRD) Analyses of Thar Sonda and Meting Jhampir Coalfields, Sindh. *Sindh University Research Journal-SURJ (Science Series)*, Pp. 41.
- Siddiqui, I., Shah, M.T., 2007. Environmental impact assessment of the Thar, Sonda and Meting-Jhampir coalfields of Sindh. *Journal of the Chemical Society of Pakistan*, 29, Pp. 222-230.
- Siddiqui, I., Soomro, A.S., Agheem, M.H., 2013. Comparative Chemical and Mineral Characterization of Paleocene coal of Sonda coalfield, Sindh-Pakistan. *Mehran University Research Journal of Engineering & Technology*.
- Srivastava, A.K., Randive, K.R., Khare, N., 2013. Mineralogical and geochemical studies of glacial sediments from Schirmacher Oasis, East Antarctica. *Quaternary International*, 292, Pp. 205-216.
- St-Onge, M.R., Rayner, N., Searle, M.P., 2010. Zircon age determinations for the Ladakh batholith at Chumathang (Northwest India): implications for the age of the India-Asia collision in the Ladakh Himalaya. *Tectonophysics*, 495 (3-4), Pp. 171-183.
- Sun, J., Xiao, W., Windley, B.F., Ji, W.Q., Fu, B.H., Wang, J.G., Jin, C.S., 2016. Provenance change of sediment input in the northeastern foreland of Pamir related to collision of the Indian Plate with the Kohistan-Ladakh arc at around 47 Ma. *Tectonics*, Pp. 35. <https://doi.org/10.1002/2015TC003974>
- Usmani, P., 1983. Planktonic foraminifera from the Ranikot and basal Laki Formations (Paleocene and Early Eocene) of the Lakhra area, Sindh, Pakistan. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 7, Pp. 429-447.
- Van Hinsbergen, D.J., Lippert, P.C., Dupont-Nivet, G., McQuarrie, N., Doubrovine, P.V., Spakman, W., Torsvik, T.H., 2012. Greater India Basin hypothesis and a two-stage Cenozoic collision between India and Asia. *Proceedings of the National Academy of Sciences*, 109 (20), Pp. 7659-7664.
- Van, F.B., 1973. Origin of red beds: a review-1961-1972. *Annual Review of Earth and Planetary Sciences*, 1, Pp. 39.
- Wang, J., Hu, X., Jansa, L., Huang, Z., 2011. Provenance of the Upper Cretaceous-Eocene deep-water sandstones in Sangdanlin, southern Tibet: Constraints on the timing of initial India-Asia collision. *The Journal of geology*, 119, Pp. 293-309.
- Wang, C., Dai, J., Zhao, X., Li, Y., Graham, S.A., He, D., Meng, J., 2014. Outward-growth of the Tibetan Plateau during the Cenozoic: A review. *Tectonophysics*,
- White, L.T., Ahmad, T., Lister, G.S., Ireland, T.R., Forster, M.A., 2012. Is the switch from I- to S-type magmatism in the Himalayan Orogen indicative of the collision of India and Eurasia. *Australian Journal of Earth Sciences*, 59 (3), Pp. 321-340.
- Yan, Z., Wang, Z., Wang, T., Yan, Q., Xiao, W., Li, J., 2006. Provenance and tectonic setting of clastic deposits in the Devonian Xicheng Basin, Qinling orogen, Central China. *Journal of Sedimentary research*, 76, Pp. 557-574.
- Yi, Z., Huang, B., Chen, J., Chen, L., Wang, H., 2011. Paleomagnetism of early Paleogene marine sediments in southern Tibet, China: Implications to onset of the India-Asia collision and size of greater India. *Earth and Planetary Science Letters*, 309, Pp. 153-165.
- YingLi, Z., ZongQi, W., Zhen, Y., Tao, W., 2011. Tectonic setting of Neoproterozoic Beiyixi Formation in Quruqtagh area, Xinjiang: Evidence from geochemistry of clastic rocks. *Acta Petrologica Sinica*, 27, Pp. 1785-1796.
- Zahirovic, S., Müller, R.D., Seton, M., Flament, N., Gurnis, M., Whittaker, J., 2012. Insights on the kinematics of the India-Eurasia collision from global geodynamic models. *Geochemistry, Geophysics, Geosystems*, Pp. 13.
- Zhang, Q., Willems, H., Ding, L., Gräfe, K.U., Appel, E., 2012. Initial India-Asia continental collision and foreland basin evolution in the Tethyan Himalaya of Tibet: Evidence from stratigraphy and paleontology. *The Journal of Geology*, 120 (2), Pp. 175-189.
- Zhuang, G., Najman, Y., Guillot, S., Roddaz, M., Antoine, P., Métais, G., Carter, A., Marivaux, L., Solangi, S.H., 2015. Constraints on the collision and the pre-collision tectonic configuration between India and Asia from detrital geochronology, thermochronology, and geochemistry studies in the lower Indus basin, Pakistan. *Earth and Planetary Science Letters*, 432, Pp. 363-373

