















- Taylor, G.F., and Scott, K.M., 1982. Evaluation of gossans in relation to lead-zinc mineralization in the Mt. Isa inlier, Queensland: *Journal of Australian, Geology and Geophysics*, v. 7, p. 159–180.
- Taylor, R.D., Leach, D.L., Bradley, D.C., and Pisarevsky, S.A., 2009. Compilation of mineral resource data for Mississippi Valley-type and clastic-dominated sediment-hosted lead-zinc deposits: U.S. Geological Survey Open-File Report 2009-1297, p. 42.
- Tikkanen, G.D., 1986. World resources and supply of lead and zinc, in Bush, W.R., ed., *Economics of internationally traded minerals: Society of Mining Engineers, Inc.*, p. 242-250.
- U.S. Geological Survey. 2015. Mineral Commodity Summaries (Zn and Pb). <http://minerals.usgs.gov/minerals/pubs/commodity/>, 186–187 (zinc); 90-91(lead).
- Umar, M., Khan, A.S., Kelling, G., Kassi, A.M., 2011. Depositional environments of Campanian-Maastrichtian successions in the Kirthar Fold Belt, southwest Pakistan: Tectonic influences on late cretaceous sedimentation across the Indian passive margin. *Sedimentary Geology* 237 (1), 30e45.
- U.S. Geological Survey, 2000. Mineral Commodity Summaries (Zn and Pb). <http://minerals.usgs.gov/minerals/pubs/commodity/>, 190- 191 (zinc); 96-97(lead).
- Warwick, P.D., Johnson, E.A., Khan, I.H., 1998. Collision-induced tectonism along the northwestern margin of the Indian subcontinent as recorded in the Upper Paleocene to Middle Eocene strata of central Pakistan (Kirthar and Sulaiman Ranges). *Palaeogeography Palaeoclimatology Palaeoecology* 142 (3), 201-216.
- Werner, W., 1989. Contribution to the genesis of the SEDEX type mineralisations of the Renish Massif (Germany) ± implications for future Pb-Zn exploration. *GeolRundsch* 78: 571±598
- Werner, W., 1990. Examples of structural control of hydrothermal mineralisation: fault zones in epicontinental sedimentary basins ± a review. *GeolRundsch* 79: 279±290
- White, D.F., 1968. Environments of generation of some base-metal ore deposits. *Econ. Geol.* 63: 301-35
- White, D.F., 1974. Diverse origins of hydrothermal ore fluids. *Econ. Geol.* 69: 954-73
- Yu, C., Song, A., Ying, Chao, Liu, A., Zeng, Q., Hou, A., Mahmoud, Fard., Hong, R., Zhang, Liang, Zhuang, C., 2019. Sediment-hosted Pb-Zn deposits in the Tethyan domain from China to Iran: Characteristics, tectonic setting, and ore controls. *Gondwana Research*, 75 (2019) 249-281, 33.
- Zaigham, N. A., 1995. Gravity modeling of Gunga barite deposits of Khuzdar, Balochistan province, Pakistan. in *Abstracts of UNESCO-IGCP 325 and Soc. Econ. Geol. Mineral. Tech. (SEGMITE) Intern. Symp. and Field Workshop on Phosphorites and Other Industrial Minerals, Abbottabad*, 38p.
- Zhang, C., Liu, H., Wang, D., Chen, Y., Rui, Z., Lou, D., Wu, Y., Jia, F., Chen, Z., and Meng, X., 2015. A Preliminary Review on the Metallogeny of Pb-Zn Deposits in China. *ACTA Geologica Sinica (English Edition)* Vol. 89 No. 4 pp.1333-1358. 26.

