











- Farah, A., Lawrence. D and DeJong. k. A. 1984. An overview of the Tectonics of Pakistan, in Haq, B.U., and Milliman, J.D., Marine Geology and Oceanography of Arabian Sea and Coastal Pakistan. Van Nostrand Reinhold Company., 161-176.
- Ficken, K. J., Li, B., Swain, D.L., Eglinton, G. 2000. An n-alkane proxy for the sedimentary input of submerged/floating freshwater aquatic macrophytes. *Organic Geochemistry* 31, 745-749.
- Ghori, K.A.R., Haines, P.W. 2007. Paleozoic petroleum systems of the Canning basin, Western Australia, *Search Discov.*
- Hao, F., Zou, H., Lu, Y., 2013. Mechanisms of shale gas storage: Implications for shale gas exploration in China. *AAPG Bull.*, 97, Pp. 1325-1346.
- Hughes, W. B., Holba, A. G., Dzou, L. I. P. 1995. The ratios of dibenzothiophene to phenanthrene and pristane to phytane as indicators of depositional environment and lithology of petroleum source rocks. *Geochimica et Cosmochimica Acta* 59, 3581-3598.
- Hunt, J.M. 1996. *Petroleum Geochemistry and Geology*. W.H. Freeman and Company, New York.
- Hunting Survey Corporation. 1961. *Reconnaissance Geology Part of West Pak*. Toronto, Canada., 1: 150.
- International Centre for Diffraction Data (ICDD). 2001. *Powder Diffraction File USA*.
- Jarvie, D.M. 1991. Total organic carbon (TOC) analysis. In: Merrill, R.K. (Ed.), *Source and Migration Processes and Evaluation Techniques: AAPG Treatise of Petroleum Geology, Handbook of Petroleum Geology*, pp. 113-118.
- Kingston, J. 1986. *Undiscovered petroleum resources of south Asia*. USGS Open-File Report 86-80.
- Noetling, F. 1903. *Ubergang zwischen Kreid and Eocene in Baluchistan*. *Contraibl. Miner. Geol.*, 4: 514-523.
- Noetling, F. 1905. *Vorlauge Mitteilung uber die Entwicklung and die Gliederung der Tertiar Formation in westhchern Sindh Indian.*, 6: 129-137 and 161-172.
- Peters, K. E. 1986. Guidelines for evaluating petroleum source rock using programmed Pyrolysis, *American Association of Petroleum Geologists Bulletin*, 70: 93-117.
- Peters, K.E., Cassa, M.R., 1994. *Applied source rock Geochemistry the Petroleum System-from Source to Trap*. American Association of Petroleum Geologists Memoir, 60, Pp. 93-117.
- Quadri, V. N., Shuaib, S.M. 1987. Geology and hydrocarbon prospects of Pakistan's offshore Indus basin. *Oil & Gas J.* 85 35, 65-67.
- Quadri, V.N., Shuaib, S.M. 1986. Hydrocarbon prospects of southern Indus basin. *Pakistan. Bull., Am. Assoc. Ž. Pet. Geol.* 70 (6), 730-747.
- Radke, M., Welte. D. H. 1983. The methylphenanthrene index (MPI): a maturity parameter based on aromatic hydrocarbons. *Advances in Organic Geochemistry.*, 504-512.
- Raza, H. A., Ahmed. A. and Ali S.M. 1990. Pakistan offshore, an attractive frontier, *Pakistan, Jr. Hydrocarbon, Research.*, (2): 1-42.
- Robison, C.R., Smith, M.A., Royle, R.A. 1999. Organic facies in Cretaceous and Jurassic hydrocarbon source rocks, southern Indus Basin, Pakistan. *International Journal of Coal Geology* 39, 205-225.
- Schoeninger M, DeNiro MJ. 1983. Nitrogen and carbon isotopic composition of bone collagen from marine and terrestrial animals. *Geochimica et Cosmochimica Acta*; 48, p 625-639.
- Shah, S. M. I. 1977. *Stratigraphy of Pakistan: Geol. Surv. Pak. Mem.* 12.
- Shah, S. M. I. 2009. *Stratigraphy of Pakistan: GSP memoirs*, 22, Government of Pakistan Ministry of Petroleum and Natural Resources.
- Shah, S.B.A., Ahmed A. 2018. Hydrocarbon source rock potential of Paleocene and Jurassic deposits in the Panjpir oilfield subsurface, Punjab Platform, Pakistan. *Arabian Journal of Geosciences* 11: 607.
- Shuaib, S.M. 1982. Geology and hydrocarbon potential of offshore Indus basin. *Bull., Am. Assoc. Pet. Geol. Ž.* 66 (7), 940-946.
- Tissot, B.P., Welte, D.H., 1984. *Petroleum Formation and Occurrence*, 2nd Edition. Berlin: 608 Springer-Verlag

